











PRICE LIST OF COLLAPSIBLE CONTAINER HOUSE





















1. Summary

- Building dimensions W3M*L5.95M*H2.8M(interior size W2.8M*L5.7M*H2.56M)
- 50mm eps sandwich panel for wall and roof
- all bolt connection to small items,take less space and don't need crane for installation
- in mass production,the price is competitive
- can be combined together to make a big room,can be stacked 2-3 levels,can add bathroom,kitchen,partition easily

2. technical features

NO	ITEM		SPECIFICATION	PICTURE
1	FRAME  	TOP&BOTTOM man beam	2.2mm thickness galvanized steel+powder coating	  
2		COLUMN	2.3mm thickness galvanized steel+powder coating	  




3		Lifting points	4mm thickness steel+powder coating	 	
4		Floor secondary beam	With 14pcs 80*40*2980mm*1.2mm galvanized tube steel	 	
5	Wall panel	EPS sandwich panel	50mm/75mm thickness double skin 0.4mm,density 10KG/m3	  	
6	Roof panel	EPS sandwich panel	50mm/75mm thickness double skin 0.4mm,density 12KG/m3	  	
7	Window&door	Steel door	Size 930*2030mm	  	
8		Pvc sliding window	Size 930*1200mm single/double glazed with security grill		


9	floor	Sub floor	15mm thickness MGO board (magnesium oxide board)/15mm fiber cement board	  
10		Surface floor	1.6mm thickness pvc tile	
11	Economic Bathroom&kitchen	bathroom	shower head,shower pan,seat toilet,wash basin	   
12		kitchen	Bottom cabinet with stainless steel countertop,with stainless steel basin,with faucet	
13	Higher quality bathroom&kitchen	bathroom	Glass shower cabin,seat toilet,wash basin with mirror and cabinet	  
14		kitchen	Bottom&top cabinet with stainless steel countertop,with stainless steel basin,with faucet	 
15	Electricity and plumbing	Suggest client buy locally		




3.Catalogue of container accommdation/storage/office









model	Layout	Description	Loading	Unit price EXW
DRL9-1		<p>Size:W3000*L3000*H2800mm</p> <p>50mm eps sandwich panel for wall&roof</p> <p>One Steel security door</p> <p>Two Sliding window single glazed</p> <p>Open room</p> <p>15mm mgo board for floor</p> <p>Without electricity</p>	<p>1*20FT container can load 8sets</p> <p>1*40HC container can load 18 units</p>	<p>USD / UNIT EXW</p> <p>1.6mm thickness Pvc floor tile plus</p> <p>Extra single sheet roof pus</p> <p>75mm thickness insulation plus</p> <p>Double glazed window plus</p> <p>15mm fiber cement board sub floor plus</p>



DRL12-1		<p>Size:W3000*L3950*H2800mm</p> <p>50mm eps sandwich panel for wall&roof</p> <p>One Steel security door</p> <p>Two Sliding window single glazed</p> <p>Open room</p> <p>15mm mgo board for floor</p> <p>Without electricity</p>	<p>1*20FT container can load 6sets</p> <p>1*40HC container can load 14 units</p>	<p>/UNIT EXW</p> <p>1.6mm thickness Pvc floor tile plus</p> <p>Extra single sheet roof pus USD</p> <p>75mm thickness insulation plus</p> <p>Double glazed window plus l</p> <p>15mm fiber cement board sub floor plus l</p>
DRL18-F		<p>Size:W3000*L5950*H2800mm</p> <p>2.2mm galvanized frame+powder coating for top and bottom main frame</p> <p>2.3mm galvanized frame+powder coating for post</p> <p>Galvanized tube steel for bottom secondary frame</p> <p>Without top secondary frame</p> <p>Without top and bottom panel</p> <p>Without wall,roof>window,door</p>	<p>1*20FT container can load 25sets</p> <p>1*40HC container can load 50 units</p>	<p>EXW</p>
DRL18-1		<p>Size:W3000*L5950*H2800mm</p> <p>50mm eps sandwich panel for wall&roof</p> <p>One Steel security door</p> <p>Two Sliding window single glazed</p> <p>Open room</p> <p>15mm mgo board for floor</p> <p>Without electricity</p>	<p>1x40ft HQ container can load 12 sets,</p> <p>1*20FT container can load 5 sets</p>	<p>EXW</p> <p>extra single sheet roof plus l</p> <p>1.6mm pvc floor tile plus</p>



DRL18-1 higher quality		Size:W3000*L5950*H2800mm 75mm eps sandwich panel for wall&roof One Steel security door Two Sliding window double glazed Open room 15mm fiber cement board+1.6mm pvc tile for floor Without electricity With extra single sheet roof	1x40ft HQ container can load 9 sets, 1*20FT container can load 4 sets	
DRL18-2		Size:W3000*L5950*H2800mm 50mm eps sandwich panel for wall&roof Steel security door Sliding window single glazed Wash basin,toilet,shower without electricity and plumbing 15mm MGO board+1.6mm pvc floor With 0.4mm thickness extra single sheet roof	1x40ft HQ container can load 10 sets, 1*20FT container can load 4 sets	75mm thickness insulation plus Double glazed window plus 15mm thickness waterproof fiber cement sub floor plus
DRL18-3		Size:W3000*L5950*H2800mm 50mm eps sandwich panel for wall&roof Steel security door Sliding window single glazed Wash basin,toilet,shower Kitchen bottom cabinet,basin,faucet without electricity and plumbing 15mm MGO board+1.6mm pvc floor With 0.4mm thickness extra single sheet roof	1x40ft HQ container can load 9 sets, 1*20FT container can load 4 sets	75mm thickness insulation plus Double glazed window plus 15mm thickness waterproof fiber cement sub floor plus



DRL18-5		<p>Size:W3000*L5950*H2800mm</p> <p>50mm eps sandwich panel for wall&roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>Two rooms</p> <p>15mm mgo board+1.6mm pvc floor</p> <p>Without electricity</p> <p>With 0.4mm thickness extra single sheet roof</p>	<p>1x40ft HQ container can load 12 sets, 1*20FT container can load 5 sets</p>	<p>75mm thickness insulation plus</p> <p>Double glazed window plus</p> <p>15mm thickness waterproof fiber cement sub floor plus</p>
DRL18-6		<p>Size:W3000*L5950*H2800mm</p> <p>50mm eps sandwich panel for wall&roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>Wash basin,toilet,shower</p> <p>without electricity and plumbing</p> <p>15mm MGO board+1.6mm pvc floor</p> <p>With 0.4mm thickness extra single sheet roof</p>	<p>1x40ft HQ container can load 10 sets, 1*20FT container can load 4 sets</p>	<p>75mm thickness insulation plus</p> <p>Double glazed window plus</p> <p>15mm thickness waterproof fiber cement sub floor plus</p>
DRL18-7		<p>Size:W3000*L5950*H2800mm</p> <p>50mm eps sandwich panel for wall&roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>Wash basin,toilet,shower</p> <p>without electricity and plumbing</p> <p>15mm MGO board+1.6mm pvc floor</p> <p>With 0.4mm thickness extra single sheet roof</p>	<p>1x40ft HQ container can load 10 sets, 1*20FT container can load 4 sets</p>	<p>75mm thickness insulation plus</p> <p>Double glazed window plus</p> <p>15mm thickness waterproof fiber cement sub floor plus</p>

DRL18-G		<p>Size:W3000*L5950*H2800mm</p> <p>50mm eps sandwich panel for wall&roof</p> <p>One remote control electrical roller door</p> <p>Without window</p> <p>Open room</p> <p>Without electricity</p>	<p>1x40ft HQ container can load 12 sets,</p> <p>1*20FT container can load 5 sets</p>	<p>Reinforced floor frame+double layer MGO board plus</p> <p>Extra single sheet panel plus</p>
DRL21-1		<p>Size:W3000*L6885*H2800mm</p> <p>50mm eps sandwich panel for wall&roof</p> <p>One Steel security door</p> <p>Two Sliding window single glazed</p> <p>Open room</p> <p>15mm mgo board for floor</p> <p>Without electricity</p>	<p>1x40ft HQ container can load 10 sets</p>	<p>1.6mm thickness Pvc floor tile plus</p> <p>Extra single sheet roof plus</p> <p>75mm thickness insulation plus</p> <p>Double glazed window plus</p> <p>15mm fiber cement board sub floor plus</p>
DRL27-1		<p>Size:W3000*L8700*H2800mm</p> <p>50mm eps sandwich panel for wall&roof</p> <p>One Steel security door</p> <p>Two Sliding window single glazed</p> <p>Open room</p> <p>15mm mgo board for floor</p> <p>Without electricity</p>	<p>1x40ft HQ container can load 8 sets</p>	<p>1.6mm thickness Pvc floor tile plus</p> <p>Extra single sheet roof plus</p> <p>75mm thickness insulation plus</p> <p>Double glazed window plus</p> <p>15mm fiber cement board sub floor plus</p>

DRL36-1		<p>Size:W6000*L5950*H2800mm</p> <p>50mm eps sandwich panel for wall&roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>Wash basin,toilet,shower</p> <p>Kitchen bottom cabinet,basin,faucet without electricity and plumbing</p> <p>15mm MGO board+1.6mm pvc floor</p> <p>With 0.4mm thickness extra single sheet roof</p>	<p>1x40ft HQ container can load 5 sets, 1*20FT container can load 2 sets</p>	<p>75mm thickness insulation plus</p> <p>Double glazed window plus</p> <p>15mm thickness waterproof fiber cement sub floor plus</p>
DRL36-2		<p>Size:W6000*L5950*H2800mm</p> <p>50mm eps sandwich panel for wall&roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>Wash basin,toilet,shower</p> <p>Kitchen bottom cabinet,basin,faucet without electricity and plumbing</p> <p>15mm MGO board+1.6mm pvc floor</p> <p>With 0.4mm thickness extra single sheet roof</p>	<p>1x40ft HQ container can load 5 sets, 1*20FT container can load 2 sets</p>	<p>75mm thickness insulation plus</p> <p>Double glazed window plus</p> <p>15mm thickness waterproof fiber cement sub floor plus</p>
DRL54-1		<p>Size:W9000*L5950*H2800mm</p> <p>50mm eps sandwich panel for wall&roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>Wash basin,toilet,shower</p> <p>Kitchen bottom cabinet,basin,faucet without electricity and plumbing</p> <p>15mm MGO board+1.6mm pvc floor</p> <p>With 0.4mm thickness extra single sheet</p>	<p>1x40ft HQ container can load 3.5 sets, 1*20FT container can load 1.5 sets</p>	<p>75mm thickness insulation plus</p> <p>Double glazed window plus</p> <p>15mm thickness waterproof fiber cement sub floor plus</p>

		roof		
DRL54-2		<p>Size:W9000*L5950*H2800mm</p> <p>50mm eps sandwich panel for wall&roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>Wash basin,toilet,shower</p> <p>Kitchen bottom cabinet,basin,faucet</p> <p>without electricity and plumbing</p> <p>15mm MGO board+1.6mm pvc floor</p> <p>With 0.4mm thickness extra single sheet roof</p>	<p>1x40ft HQ container can load 3.5 sets, 1*20FT container can load 1.5 sets</p>	<p>75mm thickness insulation plus 4</p> <p>Double glazed window plus 2</p> <p>15mm thickness waterproof fiber cement sub floor plus 1</p>
DRL72-1		<p>Size:W12000*L5950*H2800mm</p> <p>50mm eps sandwich panel for wall&roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>Wash basin,toilet,shower</p> <p>Kitchen bottom cabinet,basin,faucet</p> <p>without electricity and plumbing</p> <p>15mm MGO board+1.6mm pvc floor</p> <p>With 0.4mm thickness extra single sheet roof</p>	<p>1x40ft HQ container can load 2.5 sets, 1*20FT container can load 1 sets</p>	<p>75mm thickness insulation plus 1</p> <p>Double glazed window plus</p> <p>15mm thickness waterproof fiber cement sub floor plus 1</p>


<p>DRL108-1</p>		<p>Size:W9000*L11900*H2800mm 50mm eps sandwich panel for wall&roof Steel security door Sliding window single glazed Wash basin,toilet,shower Kitchen bottom cabinet,basin,faucet without electricity and plumbing 15mm MGO board+1.6mm pvc floor With 0.4mm thickness extra single sheet roof</p>	<p>1x40ft HQ container can load 1 sets</p>	<p>75mm thickness insulation plus Double glazed window plus 15mm thickness waterproof fiber cement sub floor plus</p>
<p>DRL2-6</p>		<p>Size for per unit container house W3000*L5950*H2800MM Ground story with 3 units,first story with 3 units With veranda,canopy,railing,stair 50mm eps sandwich panel for wall&roof Steel security door Sliding window single glazed 15mm MGO board+1.6mm pvc floor Without electricity and plumbing</p>	<p>1x40ft HQ container can load 2 sets,</p>	

		With 0.4mm thickness extra single sheet roof		
DRL2-2		<p>Size for per unit container house W3000*L5950*H2800MM</p> <p>Ground story with 1 unit,first story with 1 unit</p> <p>With veranda,canopy,railing,stair</p> <p>50mm eps sandwich panel for wall&roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>15mm MGO board+1.6mm pvc floor</p> <p>Without electricity and plumbing</p> <p>With 0.4mm thickness extra single sheet</p>	<p>1x40ft HQ container can load 5 sets, 1*20FT container can load 2 sets</p>	USD 4898/UNIT EXW
DRLW-1		<p>Size:W6000*L5950*H2800mm</p> <p>50mm eps sandwich panel for wall&roof</p> <p>Single glazed window and door</p> <p>Open inside</p> <p>Without wooden deck</p> <p>without electricity and plumbing</p> <p>15mm MGO board+composit wood floor</p> <p>With 0.4mm thickness extra single sheet</p>	<p>1x40ft HQ container can load 5 sets,1*20FT container can load 2 sets</p>	<p>Wooden deck plus</p> <p>Exterior wooden wall cladding plus</p> <p>interior wooden wall cladding plus</p> <p>Bathroom and kitchen plus '</p>




DRLW-2		<p>Size:W3000*L5950*H2800mm 50mm eps sandwich panel for wall&roof Single glazed window and door Open inside without electricity and plumbing 15mm MGO board+1.6mm pvc floor With 0.4mm thickness extra single sheet</p>	<p>1x40ft HQ container can load 10 sets,1 *20FT container can load 4 sets</p>	<p>Exterior wooden wall cladding plus</p>
DRLW-3		<p>Size:W3000*L5950*H2800mm 50mm eps sandwich panel for wall&roof Single glazed window and door Open inside without electricity and plumbing 15mm MGO board+1.6mm pvc floor With 0.4mm thickness extra single sheet</p>	<p>1x40ft HQ container can load 10 sets,1 *20FT container can load 4 sets</p>	<p>Exterior wooden wall cladding plus</p>
DRLW-4		<p>Size:W6000*L5950*H2800mm 50mm eps sandwich panel for wall&roof Single glazed window and door Open inside without electricity and plumbing 15mm MGO board+1.6mm pvc floor With 0.4mm thickness extra single sheet</p>	<p>1x40ft HQ container can load 5 sets, 1*20ft container can load 2 units</p>	<p>1.2m width Wooden deck plus</p>


3. Catalogue of container bathroom/toilet/shower



Item	Layout	Description	Loading	Unit price EXW
DRT-1		<p>Size:W3000*L5950*H2800mm</p> <p>50mm eps sandwich panel for wall&roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>Wash basin,toilet,toilet partition</p> <p>without electricity and plumbing</p> <p>15mm fiber cement board+1.6mm pvc floor</p> <p>With 0.4mm thickness extra single sheet</p>	<p>1x40ft HQ container can load 10 sets,</p> <p>1*20FT container can load 4 sets</p>	<p>75mm thickness insulation plus</p> <p>Double glazed window plus</p> <p>1.5mm thickness Non skid aluminum surface panel plus</p> <p>2mm thickness Non skid aluminum surface panel plus</p>

DRT-2		<p>Size:W3000*L5950*H2800mm</p> <p>50mm eps sandwich panel for wall&roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>Wash basin,toilet,urinal,toilet partition</p> <p>without electricity and plumbing</p> <p>15mm fiber cement board+1.6mm pvc floor</p> <p>With 0.4mm thickness extra single sheet</p>	<p>1x40ft HQ container can load 10 sets,</p> <p>1*20FT container can load 4 sets</p>	<p>75mm thickness insulation plus</p> <p>Double glazed window plus</p> <p>1.5mm thickness Non skid aluminum surface panel plus</p> <p>2mm thickness Non skid aluminum surface panel plus</p>
DRT-3		<p>Size:W3000*L5950*H2800mm</p> <p>50mm eps sandwich panel for wall&roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>Wash basin,toilet,shower,toilet partition</p> <p>without electricity and plumbing</p> <p>15mm fiber cement board+1.6mm pvc floor</p> <p>With 0.4mm thickness extra single sheet</p>	<p>1x40ft HQ container can load 10 sets,</p> <p>1*20FT container can load 4 sets</p>	<p>75mm thickness insulation plus</p> <p>Double glazed window plus</p> <p>1.5mm thickness Non skid aluminum surface panel plus</p> <p>2mm thickness Non skid aluminum surface panel plus</p>
DRT-4		<p>Size:W3000*L5950*H2800mm</p> <p>50mm eps sandwich panel for wall&roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>Wash basin,toilet,shower,toilet partition</p> <p>without electricity and plumbing</p> <p>15mm fiber cement board+1.6mm pvc floor</p> <p>With 0.4mm thickness extra single sheet</p>	<p>1x40ft HQ container can load 10 sets,</p> <p>1*20FT container can load 4 sets</p>	<p>75mm thickness insulation plus</p> <p>Double glazed window plus</p> <p>1.5mm thickness Non skid aluminum surface panel plus</p> <p>2mm thickness Non skid aluminum surface panel plus</p>

DRT-5		<p>Size:W3000*L5950*H2800mm</p> <p>50mm eps sandwich panel for wall&roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>Wash basin,toilet,shower,toilet partition</p> <p>without electricity and plumbing</p> <p>15mm fiber cement board+1.6mm pvc floor</p> <p>With 0.4mm thickness extra single sheet</p>	<p>1x40ft HQ container can load 10 sets,</p> <p>1*20FT container can load 4 sets</p>	<p>75mm thickness insulation plus 1.5mm thickness Non skid aluminum surface panel plus</p> <p>Double glazed window plus 2mm thickness Non skid aluminum surface panel plus</p>
DRT-6		<p>Size:W3000*L5950*H2800mm</p> <p>50mm eps sandwich panel for wall&roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>Wash basin,shower,toilet partition</p> <p>without electricity and plumbing</p> <p>15mm fiber cement board+1.6mm pvc floor</p> <p>With 0.4mm thickness extra single sheet</p>	<p>1x40ft HQ container can load 10 sets,</p> <p>1*20FT container can load 4 sets</p>	<p>75mm thickness insulation plus 1.5mm thickness Non skid aluminum surface panel plus</p> <p>Double glazed window plus 2mm thickness Non skid aluminum surface panel plus</p>
DRT-7		<p>Size:W3000*L5950*H2800mm</p> <p>50mm eps sandwich panel for wall&roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>Wash basin,toilet,toilet partition</p> <p>without electricity and plumbing</p> <p>15mm fiber cement board+1.6mm pvc floor</p> <p>With 0.4mm thickness extra single sheet</p>	<p>1x40ft HQ container can load 10 sets,</p> <p>1*20FT container can load 4 sets</p>	<p>75mm thickness insulation plus 1.5mm thickness Non skid aluminum surface panel plus</p> <p>Double glazed window plus 2mm thickness Non skid aluminum surface panel plus</p>

DRT-8		<p>Size:W3000*L5950*H2800mm</p> <p>50mm eps sandwich panel for wall&roof</p> <p>Steel security door</p> <p>Sliding window single glazed</p> <p>Wash basin,toilet,toilet partition</p> <p>without electricity and plumbing</p> <p>15mm fiber cement board+1.6mm pvc floor</p> <p>With 0.4mm thickness extra single sheet</p>	<p>1x40ft HQ container can load 10 sets,</p> <p>1*20FT container can load 4 sets</p>	<p>75mm thickness insulation plus 1</p> <p>Double glazed window plus</p> <p>1.5mm thickness Non skid aluminum surface panel plus</p> <p>2mm thickness Non skid aluminum surface panel plus</p>
-------	---	---	--	--